

Outdoor Air Conditioner OC 5710-400V



Product Description

Brand name:	SoliTherm ComPact Outdoor
Order Number:	571020001
Colour:	RAL 7035
Protection category IP (IEC 60 529):	IP 56 (NEMA 12, 3 3R, 4)
Approvals:	CE
Customs tariff number:	84158200
Material housing:	Mild steel, powder coated

Technical data OC 5710-400V

Cooling capacity / output L35L35:	1 kW
Cooling capacity / output L35L50:	720 W
Heating capacity:	400 W (optional)
Compressor:	Reciprocating compressor
Refrigerant:	R134a
Refrigerant charge:	280 g
Operating temperature range:	-20°C - +55°C
Max. air volume flow:	Ambient air circuit: 375 m ³ /h Cabinet air circuit: 375 m ³ /h
Mounting:	External
Dimensions (H x W x D):	900 x 304 x 270 mm
Weight:	45 kg
Rated operating voltage / frequency:	400/460 V - 50/60 Hz 2~
Rated current L35L35:	2.0 A @ 400 V 1.8 A @ 460 V
Starting current:	5.1 A
Max. current:	2.6 A @ 400 V 2.3 A @ 460 V
Power consumption L35L35:	600 W @ 400/460 V - 50 Hz 700 W @ 400/460 V - 60 Hz
Max. power consumption:	900 W
Fuse rating:	2 x 3.6 A (T)
Connection:	Connection terminal block

Click the graphics to download the originals.


More CAD graphics can be found on our [Products Downloads page](#).

> [Overview product group Cooling units - Outdoor](#)


Performance Graph:

T = Ambient temperatur

P = Cooling capacity



click image to enlarge

Cutout diagram:


click image to enlarge

[Datasheet](#) created 22.07.2015 (10:21:23). Technical rights reserved.